

June 15, 2022

As of June 2007, the European Regulation (EC) 1907/2006 concerning the Registration, Evaluation, Authorization and Restriction of Chemicals (REACH) entered into force. As a downstream user of chemical substances, Bourns is fully aware of the requirements of REACH. It is our objective to fully comply with REACH securing the dependable supply of our products to our customers.

The Candidate List of Substances of Very High Concern (SVHC) Annex XIV was published on the website of the European Chemicals Agency (ECHA) in October 2008 with additions to the Candidate List in January 2010, March 2010, June 2010, August 2010, December 2010, June 2011, August 2011, December 2011, June 2012, December 2012, June 2013, December 2013, June 2014, December 2014, June 2015, December 2015, June 2016, January 2017, July 2017, January 2018, January 2019, July 16, 2019, January 16, 2020, June 25, 2020, January 19, 2021, July 8, 2021, August 19, 2021, January 17, 2022 and June 10, 2022. There are now 224 substances identified as SVHC. The REACH Authorization list (Annex XVII) was updated on December 15, 2021 and includes 71 substances. No dangerous substances as listed and described in the conditions of restriction in Annex XVII are present in Bourns articles. There is no intentional release of substances in the normal use of these articles. Bourns does not manufacture substances or preparations.

The following chart lists those Bourns' models that contain a SVHC. If a model is not listed on the chart, it is not known to contain a SVHC.

CADMIUM: This chart also identifies some legacy parts that contains cadmium.

LEAD: Several product lines include lead in high temperature solder and/or lead in alloys or lead oxide in some ceramics. Some **standard** (non-RoHS compliant) parts may use SnPb plating on pins or terminals. The following chart provides information on the products (articles) that are now subject to reporting the presence of lead >0.1% w/w.

The following chart provides information on the Bourns models (articles) that are subject to declaration due to the presence of specifically listed SVHCs >0.1% w/w.

Bourns Corporate REACH contact
Cothy Sosfies

Cathy Godfrey

Corporate Environmental, Health & Safety Manager

Email: rohs@bourns.com

Bourns Models <u>Currently Containing</u> Substances of Very High Concern (SVHC) (If a model is not listed below, it does <u>not</u> contain a SVHC)

Models	SVHC	SVHC CAS	Material in article	Comments
AO Tron stant Destants	reported	7400 55 5	>0.1%	
AC Transient Protector	Lead	7439-92-1		
Model: ACTP250J1BJR-S, ACTP250J1BJ			solder	
BBT Accessories: 4-Type	Lead	7439-92-1	Copper alloy with	Not RoHS compliant
Sneak Current Part numbers: A0341959; A0341960; A0341960-FR; A0342432; A0353716; A0353717; A0361534; A0365896			SnPb plating	
C-303 5-Pin Solid State	Lead	7439-92-1	Copper alloy with	Not RoHS compliant
Protection Modules			SnPb plating	F 1
Part numbers: 303M-11Axxx, 303M- 11Fxxx, 303M-12Axxx, 303M-12Fxxx (black, red, blue)				
C-303 Accessories: Voltage	Lead	7439-92-1	Copper alloy with	Not RoHS compliant
Protection, Sneak Current			SnPb plating	
Protection and Heat Coils Part numbers: A0358105-ATT; A0358113; A0358116; A0358313; A0361531; A0361534; A0361540; A0366047; A0396098				
303M accessories: grounding modules, test	Lead	7439-92-1	SnPb solder	Not RoHS compliant
cords Part numbers: A0294497; A0294510; A0334926/ATT; A0337864/ATT; A0350300				
Central Office Protector;	Lead	7439-92-1	Copper alloy with	Not RoHS compliant
Protector Modules sealed			SnPb plating	
with and without test				
points; 5 Pin Protector				
Modules				
Part numbers 2410 series: 2410-310-G-xxxx, 2410-31-G-xxxx, 2410-36-G-xxxx, 2410-37-G-xxxx, 2410-39-G-xxxx, 2410-41-G-xxxx, 2410-46-G-xxxx, 2410-71-G-xxxx, 2410-76-G-xxxx.				
Ceramic Fuel card	Lead	7439-92-1	Lead solder	Note: most fuel cards contain a lead-
(Automotive) Part number: 3714X-CHD-000				containing glass in the inks (not SVHC) and no other SVHC.
Ceramic Multifuse CMF-SDPxxx	Lead	7439-92-1	High temp solder	

SVHC	SVHC CAS	Material in article	Comments
	31.10 0/10		
Lead	7439-92-1	High temp solder	
Lead	7439-92-1	High temp solder	
Lead	7439-92-1	Copper alloy with SnPb plating	
Lead	7439-92-1	Copper alloy with SnPb plating	Not RoHS compliant
Lead	7439-92-1	Lead in copper alloy	
Lead	7439-92-1	SnPb coating on pins/terminals	For standard , non-compliant version
Lead	7439-92-1	Sn90Pb10 plating	For standard , non-compliant version (no LF suffix in part number)
	Lead Lead Lead	reported Image: Control of the point	reported Lead>0.1% High temp solderLead7439-92-1High temp solderLead7439-92-1Copper alloy with SnPb platingLead7439-92-1Copper alloy with SnPb platingLead7439-92-1Copper alloy with SnPb platingLead7439-92-1Lead in copper alloyLead7439-92-1SnPb coating on pins/terminals

Models	SVHC reported	SVHC CAS	Material in article >0.1%	Comments
Hybrid Position Sensor HES38U-RS485	Lead	7439-92-1	Lead in copper alloys and lead in high temp solder	
LED Shunt Protector	Lead	7439-92-1	High temp solder	
Part numbers: LSPxxxxAJR; LSPxxxxBJR where xxxx is the selected off-state voltage	-500	7 .00 0 = =		
Military trimmers:				
Cermet Wirewound RJ12 RT12 RJ22 RT22 RJ24 RT24 RJR24 RTR22 RJ26 RTR24 RJR26 RT26 RJ50 RJR50	Lead	7439-92-1	Cermet models use Sn90Pb10 coating on pins; Wire wounds are 60/40 hot dipped .	Alternative commercial parts are available without lead plating/solder.
Panel Controls (Cermet)	Lead	7439-92-1	Lead in alloys	
Models: 51, 53, 81, 82, 85, 86, 91, 92, 93, 94, 95, 97, 99, 3852, 3856, 3862 (Cermet option)				
Panel Controls (Conductive Plastic) Models: 39, 3900, 51, 53, 56, 81, 82, 85, 86, 91, 92, 93, 94, 95, 97, 99, 3851 (CP option)	Lead	7439-92-1	Lead in alloys, copper and aluminum	
Panel Controls PDB183, PDB241-GTR, PCB241-SOTL, PSM, PSP, PTH, PTJ	Lead	7439-92-1	Lead in copper alloy	
Panel Controls	Lead	7439-92-1	Lead in alloys,	
(Wirewound)			copper and	
Models: 83			aluminum	
Panel Controls (Wirewound)	Lead	7439-92-1	Lead in copper alloy	
Models: 84				
2470 series 5-Pin -TBU Yellow, Black, Blue, Violet or Orange; includes plated, sealed and/or test points Part numbers: 2470 series: 2470- 46-G0-410-G-xxxx, 2470-41-G- xxxx, 2470-43-G-xxxx, 2470-46-G-	Lead	7439-92-1	Copper alloy with SnPb plating	Not RoHS compliant
xxxx, 2470-47-G-xxxx, 2470-49-G- xxxx. Includes parts plated, sealed and/or with test points.				

Models	SVHC	SVHC CAS	Material in article	Comments
	reported		>0.1%	
5 Pin PTC 2440 and 2442 series Part numbers: 2440 series: 2440-41-G-xxxx; 2440-43-G-xxxx; 2440-49-G-xxxx. 2442 series: 2442-41-G-xxxx.	Lead	7439-92-1	Copper alloy with SnPb plating	Not RoHS compliant
5 Pin PTC 2430 series Part numbers: 2430 series: 2430-41-G-xxxx; 2430-43-G-xxxx	Lead	7439-92-1	Copper alloy with SnPb plating	Not RoHS compliant
5 Pin PTC 2440 and 2442 series Part numbers: 2440 series: 2440-41-G-xxxx; 2440-43-G-xxxx; 2440-49-G-xxxx. 2442 series: 2442-41-G-xxxx.	Lead	7439-92-1	Copper alloy with SnPb plating	Not RoHS compliant
Precision Potentiometers (Wirewound): Models: 3500S, 3501H, 3547S, 3548H, 3548S, 3549H, 3549S, 3590P, 3590S, 3700S, 3701H, 3750S	Lead	7439-92-1	Lead in alloys	
Precision Potentiometers (Conductive Plastic) Models: 3751H, 6537S, 6538S, 6539S, 6574S, 6630S, 6637S, 6638S, 6639S, 6657S	Lead	7439-92-1	Lead in alloys	
Precision Potentiometers (Wirewound) Models: 3540S, 3541H, 3543S, 3545S	Lead	7439-92-1	Lead in alloys	
Protector Modules sealed with and without test points; 5 Pin Protector Modules Part numbers 2420 series: 2420-310-G-xxxx, 2420-31-G-xxxx, 2420-36-G-xxxx, 2420-37-G-xxxx, 2420-39Gxxxx	Lead	7439-92-1	Copper alloy with SnPb plating	
Power TVS Products Models: PTVS1-xxxx-xx; PTVS2-xxxx-xx; PTVS3-xxxx-xx; PTVS6-xxxx-xx; PTVS10-xxxx-xx; PTVS15-xxxx-xx; PTVS20-xxxx-xx	Lead	7439-92-1	High temp solder	

Models	SVHC reported	SVHC CAS	Material in article >0.1%	Comments
QMP - 4-Pin Protector modules - Solid State or Gas Tube options: Part numbers: A0294497; A0294510; A0334926/ATT; A0337864/ATT; A0350300	Lead	7439-92-1	Copper alloy with SnPb plating	
Resistor Networks: 41xxR, 43xxH/M/R, 44xxP, 48xxP with LF suffix	Lead	7439-92-1	High temp solder	LF versions
Resistor Networks – Standard: 41xxR, 43xxH/M/R, 48xxP No LF suffix	Lead	7439-92-1	Sn60Pb40 plating on pins and Pb solder	For standard , non-compliant versions
Resistor Networks: 41xxT, 43xxT, 43xxS, 43xxK, 44xxT, 48xxT with LF suffix	Lead	7439-92-1	High temp solder	LF versions
Resistor Networks – Standard: 41xxT, 43xxT, 43xxS, 43xxK, 48xxT	Lead	7439-92-1	Sn60Pb40 plating on pins	For standard , non-compliant versions
Non-Contacting Analog Rotary Position Sensors and Non-Contacting Multiturn Magnetic Sensors AMS22B; AMM20B; 4-DMS22B	Lead	7439-92-1	Lead in alloys	
SEMS - Integrated Circuit MM Hybrid (Not RoHS Compliant)	Lead	7439-92-1	Pb solder 62Sn36Pb2Ag	Non-compliant version
Sensors & Controls: 3610S series – 10-Turn Precision Knobpot	Cadmium	7440-43-9	Alloy used for tab contains 18% Cd. w/w >0.1%	Part is not RoHS compliant. No material change planned.
SinglFuse SMD Fuse Model series: SF-2410F-T; SF-2410FR-T; SF-2410HI-T; SF-3812F-T; SF-3812FG-T; SF-3812SP-T; SF-3812TM-T	Lead	7440-43-9	Lead in high temp solder	

Models	SVHC reported	SVHC CAS	Material in article >0.1%	Comments
Solenoid TMA70295CF, TMA70266CF	Lead	7439-92-1	Lead in steel alloy, High temp solder	
Solenoid plunger TMA70295 12L14	Lead	7439-92-1	Lead in steel alloy	
SPD Test Kits: 4030-01; 4030-02; 4040-01; 4040-01-W-C1	Lead	7439-92-1	SnPb plating on copper wire	
Thyristor Surge Protectors: SMA, SMB series Models: TISP4xxxHxBJR-S, TISP4CxxxH3BJR-S, TISP4xxxM3BJR-S, TISP4xxxM3AJR-S, TISP4xxxLxBJR-S, TISP4xxxLxBJR-S, TISP4xxxLxBJR-S, TISP4xxxT3BJR-S, TISP4xxxT3BJR-S, TISP4xxxT3BJR-S, TISP4xxxJxBJR-S, TISP4xxxT3BJR-S where xxxx represents available voltage options	Lead	7439-92-1	High temp solder	
Trimming Potentiometer (Trimpot Wirewounds) Standard - not RoHS Compliant	Lead	7439-92-1	Lead in copper alloy; Copper alloy with SnPb plating	Not RoHS compliant
Trimming Potentiometer (Trimpot Cermet) RoHS compliant Models with LF suffix: 3006, 3009,3059, 3082, 3252, 3262, 3266, 3269, 3292, 3296, 3299 Models without LF suffix: 3214, 3223, 3224, PV36, PV37, PVG5	Lead	7439-92-1	Lead in copper alloy	
Trimming Potentiometer (Trimpot Wirewounds) RoHS compliant Model series: 3005, 3057, 3057L, 3250, 3260, 3290	Lead	7439-92-1	Lead in copper alloy	
Trimpot Potentiometers Cermet (Standard - not RoHS compliant) Models: 3006, 3009, 3059, 3082, 3252, 3262, 3266, 3269, 3292, 3296, 3299, 3329, 3339, 3352, 3361, 3362, 3386	Lead	7439-92-1	Lead in copper alloy; Copper alloy with SnPb plating	For standard , non-compliant versions.

Models	SVHC	SVHC CAS	Material in article	Comments
	reported		>0.1%	
Varistors High Energy:	Lead	7439-92-1	High temp solder	
ZOV150K40D3MEOBO				
ZOV150K40MEOBOV20				
ZOV275K25MPPEV10				
ZOV275K40D2MEOBO				
ZOV275K40MEOBOV20				
ZOV275K40MEX1LEF				
ZOV320K40MEOBOV20				
ZOV320K80MEOBOV25				
ZOV385K40MEOBOV20				
ZOV385K80MEOBOV25				
ZOV440K40MEOBOV20				
ZOV75K40MEOBOV20				
ZOVA275K40D2MEOBO				